

COSFORD

GROWTH DESCRIPTION

Tree vigour - #

Tree growth habit - #

Branching density - Dense [7]

Suckering - Weak [3]

BUD DESCRIPTION

Bud color - #

Bud shape - #

LEAF DESCRIPTORS

Leaf blade shape - #

SHOOT DESCRIPTORS

One-year-old-shoot thickness - Thin [3]

One-year-old-shoot hairiness - #

One-year-old-shoot density of lenticers - #

INFLORESCENCE

Stigma colour of young flowers -

NUT AND KERNEL

Involucre construction - #

Involucre length compared to nut length - Equal [5]

Involucre indentation - #

Serration of indentations on the involucre - #

Involucre thickness at base of involucre - Thin [3]

Involucre hairiness density - Low [3]

Jointing of bracts on involucre - #

Predominant nut number per cluster - One to two

Nut shape - Long subcylindrical [*6]

Nut-shape of cross section - #

Nut shell colour - #

Shell striping - Medium [5]

Shape of nut apex - #

Nut apex prominence - Slight [3]

Size of pistil scar - Large [7]

Hairiness of nut apex - Weak [3]

Size of nut basal scar in relation to nut size - Large [7]

Curvature of nut basal scar - #

Kernel shape - Long cylindrical

Kernel plumpness - #

Kernel fibre texture - Strongly corky [7]

Kernel blanching (Ease of pellicle removal) using 115°C for 20 minutes - #

Size of internal cavity of kernel - #

Blooming reference standard - #

Dichogamy - #

Nut falling - #

Plant Description

Necessity of vegetative gems (based on Mehlenbacher, 1991. Number of temperatures below 7 ° C)

